R REMAINS) CLOSED in	TARAVADE, KUNAL N. Art Unit 2874 h the correspondence address-this application. If not included nication will be mailed in due cours the course to withdrawal from issue at the course of the cours	<u> </u>
evin S. Wood s on the cover sheet with R REMAINS) CLOSED in other appropriate commu TS. This application is si	Art Unit 2874 h the correspondence address-this application. If not included nication will be mailed in due cours	
s on the cover sheet with R REMAINS) CLOSED in other appropriate commu TS. This application is si	h the correspondence address-this application. If not included nication will be mailed in due cours	
R REMAINS) CLOSED in other appropriate commu TS. This application is su	this application. If not included nication will be mailed in due cours	
	abject to withdrawar nom issue at t	e. THIS he initiative
d Examination/Amendme	ent filed 13 April 2005.	
iner.	ž.	
en received. en received in Application nents have been received his communication to file T of this application. d. Note the attached EXA eason(s) why the oath or e submitted. s Patent Drawing Review mendment / Comment or the leader according to 37 CFF of BIOLOGICAL MATE	n No In this national stage application for this national stage application for the requirer a reply complying with the requirer MINER'S AMENDMENT or NOTIC declaration is deficient. (PTO-948) attached in the Office action of the drawings in the front (not the back R 1.121(d). ERIAL must be submitted. Note the submitted of the submit	nents .EE OF
6. Interview Su Paper No./I 7. Examiner's A 8. Examiner's S	Immary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowand	
	en received. en received in Application nents have been received his communication to file. Tof this application. d. Note the attached EXA eason(s) why the oath or e submitted. s Patent Drawing Review mendment / Comment or c) should be written on the leader according to 37 CFI of BIOLOGICAL MATER THE DEPOSIT OF BIO. The DEPOSIT OF BIO. Submitted of Information of the leader according to 37 CFI of BIOLOGICAL MATER THE DEPOSIT OF BIOLOGICAL MATER THE BIOLOGICAL MATER TH	en received. en received in Application No nents have been received in this national stage application for this communication to file a reply complying with the requirer T of this application. d. Note the attached EXAMINER'S AMENDMENT or NOTICe eason(s) why the oath or declaration is deficient.

Application/Control Number: 09/909,175

Art Unit: 2874

ALLOWANCE

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 13 April 2005 has been entered.

Response to Amendment

2. This action is responsive to the Amendment filed on 13 April 2005. Claims 1 and 8 were amended. Claims 1-21 are pending.

Response to Arguments

3. Applicant's arguments, filed 13 April 2005, with respect to claims 1-12 have been fully considered and are persuasive. The rejections/objections of claims 1-12 have been withdrawn.

The examiner has thoroughly reviewed the applicant's arguments regarding claim 1 and claim 8, and has found them to be persuasive. The applicant's primary argument is that U.S. Patent No. 5,900,983 to Ford et al. does not disclose the newly added limitations of independent claim 1 and independent claim 2. Specifically, the applicant argues that the Ford et al. reference does not disclose a device or method

Application/Control Number: 09/909,175 Page 3

Art Unit: 2874

wherein when an intensity level is on one side of the threshold, the light is substantially prevented from being transmitted and when the intensity level is on the other side, the light is substantially allowed to be transmitted, and there being a substantial change in the amount of received light signal that is transmitted as the intensity level of the received light signal passes through the intensity threshold level. The Ford et al. reference does not appear to specifically disclose a substantial change in the amount of the received light signal that is transmitted as the intensity level of the received light signal passes through the threshold level.

Drawings

4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawings filed on 19 July 2001 are informal drawings (the drawings contain hand written reference numbers and portions of the device appear to be drawn by hand). Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

5. Claims 1-21 are allowed.

Application/Control Number: 09/909,175

Art Unit: 2874

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin S. Wood whose telephone number is (571) 272-2364. The examiner can normally be reached on Monday-Thursday (7am - 5:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney B. Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kevin S. Wood

AKM ENAYET ULLAH PRIMARY EXAMINER

Page 4